



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58

This is an amended version of report# 20-004384/D02.R01

.Reason: Updated report formatting.

**Customer:** Nutra Pure LLC  
**Product identity:** CBD Pure 300  
**Client/Metric ID:** Batch #51989  
**Laboratory ID:** 20-004384-0001

### Summary

**Potency:**

Analyte	Result	Limits	Units	Status	
CBC	0.0168		%		CBD-Total per 60ml
CBD	0.581		%		
CBD-A	0.00423		%		THC-Total (%)
CBDV <sup>†</sup>	0.00326		%		
CBG <sup>†</sup>	0.00994		%		
Δ9-THC	0.0347		%		
Analyte per 60ml	Result	Limits	Units	Status	
CBC per 60ml	9.27		mg/60ml		
CBD per 60ml	321		mg/60ml		
CBD-A per 60ml	2.33		mg/60ml		
CBDV per 60ml	1.80		mg/60ml		
CBG per 60ml	5.49		mg/60ml		
Δ9-THC per 60ml	19.2		mg/60ml		

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.

**Metals:**

Less than LOQ for all analytes.

**Microbiology:**

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58



**Customer:** Nutra Pure LLC

**Product identity:** CBD Pure 300  
**Client/Metric ID:** Batch #51989  
**Sample Date:**  
**Laboratory ID:** 20-004384-0001  
**Relinquished by:** UPS  
**Temp:** 21.8 °C

### Sample Results

Potency					
Method J AOAC 2015 V98-6 (mod) Batch: 2003658 Analyze: 4/29/20 10:29:00 AM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC	0.0168		%	0.0032	
CBC-A†	< LOQ		%	0.0032	
CBC-Total†	0.0168		%	0.0060	
CBD	0.581		%	0.0032	
CBD-A	0.00423		%	0.0032	
CBD-Total	0.585		%	0.0060	
CBDV†	0.00326		%	0.0032	
CBDV-A†	< LOQ		%	0.0032	
CBDV-Total†	< LOQ		%	0.0060	
CBG†	0.00994		%	0.0032	
CBG-A†	< LOQ		%	0.0032	
CBG-Total	0.00994		%	0.0060	
CBL†	< LOQ		%	0.0032	
CBN	< LOQ		%	0.0032	
Δ8-THC†	< LOQ		%	0.0032	
Δ9-THC	0.0347		%	0.0032	
THC-A	< LOQ		%	0.0032	
THC-Total	0.0347		%	0.0060	
THCV†	< LOQ		%	0.0032	
THCV-A†	< LOQ		%	0.0032	
THCV-Total†	< LOQ		%	0.0060	
<b>Total Cannabinoids†</b>	<b>0.650</b>		%		

Potency per 60ml					
Method J AOAC 2015 V98-6 (mod) Batch: 2003658 Analyze: 4/29/20 10:29:00 AM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 60ml	9.27		mg/60ml	1.77	
CBC-A per 60ml	< LOQ		mg/60ml	1.77	
CBC-Total per 60ml	9.27		mg/60ml	3.32	
CBD per 60ml	321		mg/60ml	1.77	
CBD-A per 60ml	2.33		mg/60ml	1.77	
CBD-Total per 60ml	323		mg/60ml	3.32	
CBDV per 60ml	1.80		mg/60ml	1.77	
CBDV-A per 60ml	< LOQ		mg/60ml	1.77	
CBDV-Total per 60ml	< LOQ		mg/60ml	3.31	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58



Potency per 60ml **Method J AOAC 2015 V98-6 (mod) Batch: 2003658 Analyze: 4/29/20 10:29:00 AM**

Analyte	Result	Limits	Units	LOQ	Notes
CBG per 60ml	5.49		mg/60ml	1.77	
CBG-A per 60ml	< LOQ		mg/60ml	1.77	
CBG-Total per 60ml	5.49		mg/60ml	3.31	
CBL per 60ml	< LOQ		mg/60ml	1.77	
CBN per 60ml	< LOQ		mg/60ml	1.77	
Δ8-THC per 60ml	< LOQ		mg/60ml	1.77	
Δ9-THC per 60ml	19.2		mg/60ml	1.77	
THC-A per 60ml	< LOQ		mg/60ml	1.77	
THC-Total per 60ml	19.2		mg/60ml	3.32	
THCV per 60ml	< LOQ		mg/60ml	1.77	
THCV-A per 60ml	< LOQ		mg/60ml	1.77	
THCV-Total per 60ml	< LOQ		mg/60ml	3.33	
<b>Total Cannabinoids 60ml<sup>†</sup></b>	<b>359</b>		mg/60ml		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58



Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Density	0.920		g/ml			04/28/20	Client Provided	

Solvents	Method	EPA5021A	Units	µg/g	Batch	2003617	Analyze	04/29/20	10:29 AM
----------	--------	----------	-------	------	-------	---------	---------	----------	----------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	

Pesticides	Method	AOAC 2007.01 & EN 15662 (mod)	Units	mg/kg	Batch	2003695	Analyze	05/01/20	09:43 AM
------------	--------	-------------------------------	-------	-------	-------	---------	---------	----------	----------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58



Pesticides						Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2003695 Analyze 05/01/20 09:43 AM					
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Microbiology									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes	
Aerobic Plate Count	< LOQ		cfu/g	10	2003597	04/30/20	AOAC 990.12 (Petrifilm)	X	
E.coli	< LOQ		cfu/g	10	2003596	04/30/20	AOAC 991.14 (Petrifilm)	X	
Total Coliforms	< LOQ		cfu/g	10	2003596	04/30/20	AOAC 991.14 (Petrifilm)	X	
Staphylococcus aureus	< LOQ		cfu/g	10	2003598	04/29/20	AOAC 2003.07	X	
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2003595	04/30/20	AOAC 2014.05 (RAPID)	X	
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2003595	04/30/20	AOAC 2014.05 (RAPID)	X	
Salmonella spp.	Negative		/10g		2003585	04/29/20	AOAC 2016.01	X	
Listeria spp.	Negative		/10g		2003599	04/29/20	AOAC 2016.07	X	
E.coli O157:H7	Negative		/10g		2003600	04/29/20	AOAC 2017.01	X	

Solvents						Method EPA5021A Units µg/g Batch 2003617 Analyze 04/29/20 10:29 AM					
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2003695 Analyze 05/01/20 09:43 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes		
Arsenic	< LOQ		mg/kg	0.0484	2003660	04/29/20	AOAC 2013.06 (mod.)	X		
Cadmium	< LOQ		mg/kg	0.0484	2003660	04/29/20	AOAC 2013.06 (mod.)	X		
Lead	< LOQ		mg/kg	0.0484	2003660	04/29/20	AOAC 2013.06 (mod.)	X		
Mercury	< LOQ		mg/kg	0.0242	2003660	04/29/20	AOAC 2013.06 (mod.)	X		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 20-004384/D02.R02  
**Report Date:** 05/28/2020  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 04/28/20 11:58

These test results are representative of the individual sample selected and submitted by the client.

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

**Units of Measure**

cfu/g = Colony forming units per gram

g = Gram

g/ml = Gram per milliliter

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/60ml = Milligram per 60ml

/10g = Per 10 grams

% = Percentage of sample

% wt = µg/g divided by 10,000

**Glossary of Qualifiers**

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner  
General Manager